

# Star Nail International

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION

<b>1.1</b>	<b>Product Name:</b>	All Season Nails Cuticle Butter Stick Pomegranate & Acai
<b>U</b>	<b>Product Identification:</b>	4000
<b>1.3</b>	<b>Product Use:</b>	CUTICLE CONDITIONING
<b>1.4</b>	<b>Manufacturer's Name:</b>	STAR NAIL INTERNATIONAL
<b>1.5</b>	<b>Manufacturer's Address:</b>	29120 AVENUE PAINE, VALENCIA CA 91355
<b>1.6</b>	<b>Emergency Phone:</b>	CHEMTEL: 800-255-3924 OR 813-248-0573

### 2. COMPOSITION / INGREDIENT INFORMATION

**NO HAZARDOUS/CARCINOGENIC MATERIALS PRESENT**

### 3. HAZARD INFORMATION

<b>3.1</b>	<b>Routes of Entry:</b>	<b>Skin</b>	<b>Inhalation</b>	<b>Eyes</b>	<b>Ingestion</b>	X
<b>3.2</b>	<b>Effects of Overexposure to concentrate:</b>					
	INGESTION:	If swallowed, may cause gastrointestinal irritation				
	EYES:	Solid material is not expected to be a skin irritant; however, skin contact with molten material may cause thermal burns. Vapors from molten material may cause watering of the eyes.				
	SKIN:	Solid material is not expected to be a skin irritant; however, skin contact with molten material may cause thermal burns. No harmful effects from skin absorption are expected.				
	INHALATION:	Vapor emitted from molten material is expected to have a low degree of irritation by inhalation.				

### 4. FIRST AID MEASURES

	INGESTION:	First aid is not normally required for the solid material; however, if molten material is swallowed, seek immediate medical attention.
	EYES:	If irritation or redness develops from exposure to fumes generated during hot-melt processing operations, move victim away from exposure and into fresh air. Flush eyes with clean water. If irritation or redness persists, seek medical attention.
	SKIN:	For contact with molten material, leave material on skin and flush or immerse affected area(s), using cold water. Seek medical attention.
	INHALATION:	Remove victim to fresh air at once. If breathing is difficult, seek medical attention

## MATERIAL SAFETY DATA SHEET

## 5. FIREFIGHTING MEASURES

<b>5.1</b>	<b>Flashpoint &amp; Method:</b> >212 °F Tag Closed Cup
<b>5.2</b>	<b>OSHA Flammability Class:</b> Not regulated
<b>5.3</b>	<b>Extinguishing Methods:</b> Dry chemical, foam, water, sand, or earth is recommended
<b>5.4</b>	<b>Firefighting Procedures:</b> Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus and full protective clothing
<b>5.5</b>	<b>Unusual Fire and Explosion Hazards:</b> This material may burn, but will not ignite readily

## 6. ACCIDENTAL RELEASE MEASURES

<b>6.1</b>	<b>Spills</b> Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.  For small spills (e.g., <1 gallon) wear appropriate personal equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.  For spills $\geq$ 1 gallon, deny entry to all unprotected individuals. Contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or proper disposal. Remove contaminated clothing promptly and wash affected areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
------------	--

## 7. HANDLING & STORAGE INFORMATION

<b>7.1</b>	<b>Work and Hygiene Practices:</b> Wash hands thoroughly after using this product and before eating, drinking, or smoking
<b>7.2</b>	<b>Storage and Handling</b> Keep container(s) tightly closed. Keep away possible source of ignition. Do not store in damaged or unmarked containers or storage devices.  For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment.
<b>7.3</b>	<b>Special Precautions:</b> Empty containers may contain residual amounts of product

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

<b>8.1</b>	<b>Ventilation:</b> Use with adequate ventilation
<b>8.2</b>	<b>Respiratory:</b> None required, when used with adequate ventilation
<b>8.3</b>	<b>Personal Protective Equipment:</b> None required under normal conditions of use. When handling large quantities (e.g., $\geq$ 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133)

## 9. PHYSICAL & CHEMICAL PROPERTIES

<b>9.1</b>	<b>Appearance &amp; Color:</b>	Opaque, slightly yellow waxy solid
<b>9.2</b>	<b>Melting Point:</b>	30 – 33 °C
<b>9.3</b>	<b>Specific Gravity:</b>	0.870 - 0.890

# MATERIAL SAFETY DATA SHEET

## 10. STABILITY & REACTIVITY

<b>10.1</b>	<b>Stability:</b>	Stable under normal conditions of use
<b>10.2</b>	<b>Hazardous Decomposition Products:</b>	Combustion can yield oxides of carbon
<b>10.3</b>	<b>Hazardous Polymerization:</b>	Will not occur
<b>10.4</b>	<b>Conditions to Avoid:</b>	Avoid all possible sources of ignition
<b>10.5</b>	<b>Incompatible Substances:</b>	Strong acids and oxidizing agents

## 11. TOXICOLOGICAL INFORMATION

DATA NOT AVAILABLE
--------------------

## 12. ECOLOGICAL INFORMATION

DATA NOT AVAILABLE
--------------------

## 13. DISPOSAL CONSIDERATIONS

<p>This material, if discarded as produced, is not a RCRA "listed" or "characteristic" hazardous waste. Use which results in chemical or physical change or contamination may subject it to hazardous waste regulations. Along with properly characterizing all waste materials, consult state and local regulations regarding the proper disposal of this material.</p>
--

## 14. TRANSPORTATION INFORMATION

<b>HAZARD CLASS OR DIVISION:</b>	NOT CLASSIFIED AS HAZARDOUS
----------------------------------	-----------------------------

## 15. REGULATORY INFORMATION

<b>12.1</b>	HMIS (USA) Health Hazard: 0 Fire: 0 Reactivity: 0 PPE Rating: C	National Fire Protection Association (USA) Health: 0 Fire: 0 Reactivity: 0
<b>12.2</b>	California Proposition 65 Warning: NONE EPA (CERCLA) Reportable Quantity: NONE	

## 16. OTHER INFORMATION

<p><b>Disclaimer:</b>                  This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Star Nail International's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided.</p>
---

# Star Nail International

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION

<b>1.1</b>	<b>Product Name:</b>	All Season Nails Cuticle Butter Stick French Vanilla
<b>U</b>	<b>Product Identification:</b>	4000
<b>1.3</b>	<b>Product Use:</b>	CUTICLE CONDITIONING
<b>1.4</b>	<b>Manufacturer's Name:</b>	STAR NAIL INTERNATIONAL
<b>1.5</b>	<b>Manufacturer's Address:</b>	29120 AVENUE PAINE, VALENCIA CA 91355
<b>1.6</b>	<b>Emergency Phone:</b>	CHEMTEL: 800-255-3924 OR 813-248-0573

### 2. COMPOSITION / INGREDIENT INFORMATION

**NO HAZARDOUS/CARCINOGENIC MATERIALS PRESENT**

### 3. HAZARD INFORMATION

<b>3.1</b>	<b>Routes of Entry:</b>	<b>Skin</b>		<b>Inhalation</b>		<b>Eyes</b>		<b>Ingestion</b>	X
<b>3.2</b>	<b>Effects of Overexposure to concentrate:</b>								
	INGESTION:	If swallowed, may cause gastrointestinal irritation							
	EYES:	Solid material is not expected to be a skin irritant; however, skin contact with molten material may cause thermal burns. Vapors from molten material may cause watering of the eyes.							
	SKIN:	Solid material is not expected to be a skin irritant; however, skin contact with molten material may cause thermal burns. No harmful effects from skin absorption are expected.							
	INHALATION:	Vapor emitted from molten material is expected to have a low degree of irritation by inhalation.							

### 4. FIRST AID MEASURES

	INGESTION:	First aid is not normally required for the solid material; however, if molten material is swallowed, seek immediate medical attention.
	EYES:	If irritation or redness develops from exposure to fumes generated during hot-melt processing operations, move victim away from exposure and into fresh air. Flush eyes with clean water. If irritation or redness persists, seek medical attention.
	SKIN:	For contact with molten material, leave material on skin and flush or immerse affected area(s), using cold water. Seek medical attention.
	INHALATION:	Remove victim to fresh air at once. If breathing is difficult, seek medical attention

## MATERIAL SAFETY DATA SHEET

## 5. FIREFIGHTING MEASURES

<b>5.1</b>	<b>Flashpoint &amp; Method:</b> >212 °F Tag Closed Cup
<b>5.2</b>	<b>OSHA Flammability Class:</b> Not regulated
<b>5.3</b>	<b>Extinguishing Methods:</b> Dry chemical, foam, water, sand, or earth is recommended
<b>5.4</b>	<b>Firefighting Procedures:</b> Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus and full protective clothing
<b>5.5</b>	<b>Unusual Fire and Explosion Hazards:</b> This material may burn, but will not ignite readily

## 6. ACCIDENTAL RELEASE MEASURES

<b>6.1</b>	<b>Spills</b> Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.  For small spills (e.g., <1 gallon) wear appropriate personal equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.  For spills $\geq$ 1 gallon, deny entry to all unprotected individuals. Contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or proper disposal. Remove contaminated clothing promptly and wash affected areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
------------	--

## 7. HANDLING & STORAGE INFORMATION

<b>7.1</b>	<b>Work and Hygiene Practices:</b> Wash hands thoroughly after using this product and before eating, drinking, or smoking
<b>7.2</b>	<b>Storage and Handling</b> Keep container(s) tightly closed. Keep away possible source of ignition. Do not store in damaged or unmarked containers or storage devices.  For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment.
<b>7.3</b>	<b>Special Precautions:</b> Empty containers may contain residual amounts of product

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

<b>8.1</b>	<b>Ventilation:</b> Use with adequate ventilation
<b>8.2</b>	<b>Respiratory:</b> None required, when used with adequate ventilation
<b>8.3</b>	<b>Personal Protective Equipment:</b> None required under normal conditions of use. When handling large quantities (e.g., $\geq$ 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133)

## 9. PHYSICAL & CHEMICAL PROPERTIES

<b>9.1</b>	<b>Appearance &amp; Color:</b>	Opaque, slightly yellow waxy solid
<b>9.2</b>	<b>Melting Point:</b>	30 – 33 °C
<b>9.3</b>	<b>Specific Gravity:</b>	0.870 - 0.890

# MATERIAL SAFETY DATA SHEET

## 10. STABILITY & REACTIVITY

<b>10.1</b>	<b>Stability:</b>	Stable under normal conditions of use
<b>10.2</b>	<b>Hazardous Decomposition Products:</b>	Combustion can yield oxides of carbon
<b>10.3</b>	<b>Hazardous Polymerization:</b>	Will not occur
<b>10.4</b>	<b>Conditions to Avoid:</b>	Avoid all possible sources of ignition
<b>10.5</b>	<b>Incompatible Substances:</b>	Strong acids and oxidizing agents

## 11. TOXICOLOGICAL INFORMATION

DATA NOT AVAILABLE

## 12. ECOLOGICAL INFORMATION

DATA NOT AVAILABLE

## 13. DISPOSAL CONSIDERATIONS

This material, if discarded as produced, is not a RCRA "listed" or "characteristic" hazardous waste. Use which results in chemical or physical change or contamination may subject it to hazardous waste regulations. Along with properly characterizing all waste materials, consult state and local regulations regarding the proper disposal of this material.

## 14. TRANSPORTATION INFORMATION

**HAZARD CLASS OR DIVISION:** NOT CLASSIFIED AS HAZARDOUS

## 15. REGULATORY INFORMATION

<b>12.1</b>	HMIS (USA) Health Hazard: 0 Fire: 0 Reactivity: 0 PPE Rating: C	National Fire Protection Association (USA) Health: 0 Fire: 0 Reactivity: 0
<b>12.2</b>	California Proposition 65 Warning: NONE EPA (CERCLA) Reportable Quantity: NONE	

## 16. OTHER INFORMATION

### Disclaimer:

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Star Nail International's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided.